Articolo	Voto
PTBP1-activated co-transcriptional splicing controls epigenetic status of pluripotent stem cells	30lode
The Phospho-Code Determining Circadian Feedback Loop Closure and Output in Neurospora	28
RNA binding to CBP stimulates Histone acetylation and trascription	30lode
p53 Activates the Long Noncoding RNA Pvt1b to Inhibit Myc and Suppress Tumorigenesis	28
Cyclin-dependent kinase 5 (CDK5) regulates the circadian clock	28
XIST directly regulates X-linked and autosomal genes in naive human pluripotent cells	30lode
NRF1 association with AUTS2-Polycomb mediates specific gene activation in the brain	30
RBFox2 Binds Nascent RNA to Globally Regulate Polycomb Complex 2 Targeting in Mammalian Genomes	"1851602" 24* "1846371" 27 "1853781" 26
FAD Regulates CRYPTOCHROME Protein Stability and Circadian Clock in Mice	28
MYC Protein Interactome Profiling Reveals Functionally Distinct Regions that Cooperate to Drive Tumorigenesis	28
CRY2 and FBXL3 Cooperatively Degrade c-MYC	30
Xist Deletional Analysis Reveals an Interdependency between Xist RNA and Polycomb Complexes for Spreading along the Inactive X	"1999967" 26 "2024556" 25 "1944037" 23*
A Conserved Kinase-Based Body-Temperature Sensor Globally Controls Alternative Splicing and Gene Expression	27
Cdk1 Controls Global Epigenetic Landscape in Embryonic Stem Cells	30lode
(IST loss impairs mammary stem cell differentiation and increases tumorigenicity through Mediator hyperactivation	30lode
Protein quality control in the nucleolus safeguards recovery of epigenetic regulators after heat shock	30lode
	* richiesto orale per confermare il voto